BBA

Biomembranes

Vol. 1070, 1991

Cumulative Contents

Regular Papers

Hexose uptake in primary cultures of bovine brain microvessel endothetial cells. I. Basic characteristics and effects of D-glucose and insulin
Y. Takakura, S.L. Kuentzel, T.J. Raub, A. Davies, S.A. Baldwin and R.T. Borchardt (U.S.A., U.K.) 1

Hexose uptake in primary cultures of bovine brain microvessel endothelial cells. II. Effects of conditioned media from astroglial and glioma cells
Y. Takakura, A.M. Trammel, S.L. Kuentzel, T.J. Raub, A. Davies, S.A. Baldwin and R.T. Borchardt (U.S.A., U.K.) 11

Platelet glycoprotein IIb–IIIa is associated with 21-kDa GTP-binding protein
M. Torti, F. Sinigaglia, G. Ramaschi and C. Balduini (Italy) 20

The cesium-induced delay in myoblast membrane fusion is accompanied by changes in cellular subfraction lipid composition
M.T. Santini, P.L. Indovina and A. Cantafora (Italy) 27

The effect of monoacylglycerol on the phase behavior of egg phosphatidylcholine
C.-C. Yin, P. Schurtenberger, E. Wehrli, F. Paltauf and H. Hauser (Switzerland, Austria) 33

Capsaicin effects on non-neuronal plasma membranes
J.B. Meddings, C.M. Hogaboam, K. Tran, J.D. Reynolds and J.L. Wallace (Canada) 43

Anomalous mixing of zwitterionic and anionic phospholipids with double-chain cationic amphiphiles in lipid bilayers
J.R. Silvius (Canada) 51

Plasma membrane depolarization and calcium influx during cell injury by photodynamic action
K.G. Specht and M.A.J. Rodgers (U.S.A.) 60

Inhibition of L-lactate transport and band 3-mediated anion transport in erythrocytes by the novel stilbenedisulphonate *N,N,N′,N′*-tetrabenzyl-4,4′-diaminostilbene-2,2′-disulphonate (TBenzDS)
R.C. Poole, S.L. Cranmer, D.W. Holdup and A.P. Halestrap (U.K.) 69

A vacuolar ATPase and pyrophosphatase in *Acetabularia acetabulum*
M. Ikeda, S. Satoh, M. Maeshima, Y. Mukohata and C. Moritani (Japan) 77

Inhibitory and stimulatory effects of fluoride on the calcium pump of cardiac sarcoplasmic reticulum
N. Narayanan, N. Su and P. Bedard (Canada) 83

In vitro effect of ethanol on sodium and glucose transport in rabbit renal brush border membrane vesicles
P. Parenti, B. Giordana and G.M. Hanozet (Italy) 92

Transport-related modulation of the membrane properties of toad urinary bladder epithelium
S.A. Lewis, C. Clausen and N.K. Wills (U.S.A.) 99

Cation and harmaline interactions with Na^+-independent dibasic amino acid transport system y^+ in human erythrocytes and in erythrocytes from a primitive vertebrate the pacific hagfish (*Eptatretus stouti*)
J.D. Young, D.A. Fincham and C.M. Harvey (Canada, U.K.) 111

Phospholipid acylation by mouse sciatic nerve microsomes
C. Cassagne, H. Juguelin and F. Boiron (France) 119

Monensin blocks the transfer of very long chain fatty acid containing lipids to the plasma membrane of leek seedlings. Evidence for lipid sorting based on fatty acyl chain length
P. Bertho, P. Moreau, D.J. Morré and C. Cassagne (France, U.S.A.) 127

Influx and incorporation into protein of L-phenylalanine in the perfused rat pancreas: effects of amino acid deprivation and carbachol
J.H. Sweiry, P.W. Emery, M. Muñoz, K. Doolabh and G.E. Mann (U.K.) 135

A neutron diffraction study of the influence of ions on phospholipid membrane interactions
S.A. Tatulian, V.I. Gordeliy, A.E. Sokolova and A.G. Syrykh (U.S.S.R.) 143

Cyclic GMP-activated channel activity in renal epithelial cells (A6)
Y. Marunaka, A. Ohara, P. Matsumoto and D.C. Eaton (U.S.A.) 152

Adenine and hypoxanthine transport in human erythrocytes: distinct substrate effects on carrier mobilty
M. Kraupp, R. Marz, G. Prager, W. Kommer, M. Razavi, M. Baghestanian and P. Chiba (Austria) 157

Ca^{2+} or Mg^{2+} nucleotide phosphohydrolases in myometrium: two ecto-enzymes
M. Magocsi and J.T. Penniston (U.S.A.) 163

Interaction of positively-charged liposomes with blood: implications for their application in vivo
J.H. Senior, K.R. Trimble and R. Maskiewicz (U.S.A.) 173

The influence of hypothyroidism on the transport of phosphate and on the lipid composition in rat-liver mitochondria
G. Paradies, F.M. Ruggiero and P. Dinoi (Italy) 180

Sterically stabilized liposomes: a hypothesis on the molecular origin of the extended circulation times
D.D. Lasic, F.J. Martin, A. Gabizon, S.K. Huang and D. Papahadjopoulos (U.S.A., Israel) 187

Increased binding of liposomes to cells by electric treatment
L.V. Chernomordik, D. Papahadjopoulos and T.Y. Tsong (U.S.A., U.S.S.R.) 193

Goat sperm membrane: lectin-binding sites of sperm surface and lectin affinity chromatography of the mature sperm membrane antigens
M. Sarkar, G.C. Majumder and T. Chatterjee (India) 198

Caco-2 cell line: a system for studying intestinal iron transport across epithelial cell monolayers
X. Alvarez-Hernandez, G.M. Nichols and J. Glass (U.S.A.) 205

The effect of changes in gramicidin conformation on bilayer lipid properties
M.R. Morrow, G.A. Simatos, R. Srinivasan, N. Grandal, L. Taylor and K.M.W. Keough (Canada) 209

Separation of large unilamellar liposomes from blood components by a spin column procedure: towards identifying plasma proteins which mediate liposome clearance in vivo
A. Chonn, S.C. Semple and P.R. Cullis (Canada) 215

Anomalous mobilities of Na,K-ATPase α subunit isoforms in SDS-PAGE: identification by N-terminal sequencing
N. Cortas, D. Elstein, D. Markowitz and I.S. Edelman (U.S.A.) 223

Investigation of a possible correlation between rates of secretion and microsomal membrane association of plasma proteins synthesized by rat liver
A.H. Myrset, B.R. Johnsen, M.A. Kulseth, I. Wassdal and L. Helgeland (Norway) 229

The low-affinity lipid binding site of the non-specific lipid transfer protein. Implications for its mode of action
T.W.J. Gadella Jr. and K.W.A. Wirtz (The Netherlands) 237

Proteins and peptides bound to long-circulating liposomes
K. Maruyama, A. Mori, S. Bhadra, M.T.R. Subbiah and L. Huang (U.S.A.) 246

Lipid and membrane fluidity abnormalities in platelets and megakaryocytes of the hereditary macrothrombocytopenic Wistar Furth rat
K.B. Dalal, R.M. Leven and T. Yee (U.S.A.) 253

Interactions of an antimicrobial peptide, tachyplesin I, with lipid membranes
K. Matsuzaki, M. Fukui, N. Fujii and K. Miyajima (Japan) 259

Low levels of the pesticide, δ-hexachlorocyclohexane, lyses human erythrocytes and alters the organization of membrane lipids and proteins as revealed by Raman spectroscopy
S.P. Verma and A. Singhal (U.S.A.) 265

Rapid Reports

Accumulation of polyunsaturated free fatty acids coincident with the fusion of rough endoplasmic reticulum membranes
C. Lavoie, M. Jolicoeur and J. Paiement (Canada) 274

Measurements of local pH changes near bilayer lipid membrane by means of a pH microelectrode and a protonophore-dependent membrane potential. Comparison of the methods
Y.N. Antonenko and A.A. Bulychev (U.S.S.R.) 279

Regular Papers

Effect of free fatty acids and detergents on H,K-ATPase. The steady-state ATP phosphorylation level and the orientation of the enzyme in membrane preparations
H.G.P. Swarts, T.J.F. Van Uem, S. Hoving, J.A.M. Fransen and J.J.H.H.M. De Pont (Netherlands) 283

Glucose transport of *Haloferax volcanii* requires the Na^+-electrochemical potential gradient and inhibitors for the mammalian glucose transporter inhibit the transport
E. Tawara and N. Kamo (Japan) 293

Renal heme metabolism in hereditary tyrosinemia: use of succinylacetone in rat renal tubules
P.A. Wyss, B.E. Carter, S.B. Boynton, E. Connor, B. Fowler and K.S. Roth (U.S.A.) 300

The preferential interaction of L-threonine with transport system ASC in cultured human fibroblasts
O. Bussolati, B.M. Rotoli, P.C. Laris, V. Dall'Asta and G.C. Gazzola (Italy, U.S.A.) 305

Protein–chromophore interactions in bacteriorhodopsin: the effects of a change in surface potential
N.A. Swords and B.A. Wallace (U.S.A., U.K.) 313

The use of the potential-sensitive fluorescent probe bisoxonol in mast cells
C. Bronner and Y. Landry (France) 321

ATP as a positive effector of the sodium efflux in single barnacle muscle fibers
E.E. Bittar and Y.-P. Huang (U.S.A.) 332

Effect of low calcium on high-energy phosphates and sarcolemmal Na^+/K^+-ATPase in the infarcted-reperfused heart
E.C. Samouilidou, G.M. Levis, J.T. Darsinos, A.C. Pistevos, J.N. Karli and C.P. Tsiganos (Greece) 343

Chronic ethanol ingestion modifies liver microsomal phosphatidylserine inducing resistance to hydrolysis by exogenous phospholipase A_2
C.D. Stubbs, A.E. Kisielewski and E. Rubin (U.S.A.) 349

The effect of high pressure on the conformation, interactions and activity of the Ca^{2+}-ATPase of sarcoplasmic reticulum
I. Jona and A. Martonosi (U.S.A.) 355

Effects of solutes on the formation of crystalline sheets of the Ca^{2+}-ATPase in detergent-solubilized sarcoplasmic reticulum
S. Varga, K.A. Taylor and A. Martonosi (U.S.A.) 374

Apical membrane ionic channels in the rabbit cortical thick ascending limb in primary culture
J. Merot, V. Poncet, M. Bidet, M. Tauc and P. Poujeol (France) 387

Carboxyacyl derivatives of cardiolipin as four-tailed hydrophobic anchors for the covalent coupling of hydrophilic proteins to liposomes
G. Niedermann, V. Weissig, B. Sternberg and J. Lasch (Germany) 401

The uptake of pristane (2,6,10,14-tetramethylpentadecane) into phospholipid bilayers as assessed by NMR, DSC, and tritium labeling methods
K. Gawrisch and S. Janz (U.S.A.) 409

A comparative study on interactions of α-aminoisobutyric acid containing antibiotic peptides, trichopolyn I and hypelcin A with phosphatidylcholine bilayers
K. Matsuzaki, T. Shioyama, E. Okamura, J. Umemura, T. Takenaka, Y. Takaishi, T. Fujita and K. Miyajima (Japan) 419

Sequence of critical events involved in fusion of phospholipid vesicles induced by clathrin
S. Maezawa and T. Yoshimura (Japan) 429

Chloroplast biogenesis. Cell-free transfer of envelope monogalactosylglycerides to thylakoids
D.J. Morré, J.T. Morré, S.R. Morré, C. Sundqvist and A.S. Sandelius (U.S.A., Sweden) 437

Fusion of Sendai virus with human HL-60 and CEM cells: different kinetics of fusion for two isolates
M.C. Pedroso de Lima, S. Nir, D. Flasher, K. Klappe, D. Hoekstra and N. Düzgüneş (U.S.A., Portugal, Netherlands, Israel) 446

The effect of myotoxins isolated from *Bothrops* snake venoms on multilamellar liposomes: relationship to phospholipase A_2, anticoagulant and myotoxic activities
C. Díaz, J.M. Gutiérrez, B. Lomonte and J.A. Gené (Costa Rica) 455

Intramitochondrial K^+ as activator of carboxyatractyloside-induced Ca^{2+} release
E. Chávez, R. Moreno-Sánchez, C. Zazueta, H. Reyes-Vivas and D. Arteaga (Mexico) 461

The effects of *n*-alkanols on the lipid/protein interface of Ca^{2+}-ATPase of sarcoplasmic reticulum vesicles
C.M.B. Lopes and S.R.W. Louro (Brasil) 467

Effect of phloretin on the carrier-mediated electrically silent ion fluxes through the bilayer lipid membrane: measurements of pH shifts near the membrane by pH microelectrode
Y.N. Antonenko and A.A. Bulychev (U.S.S.R.) 474

Nigericin-mediated H^+, K^+ and Na^+ transports across vesicular membrane: *T*-jump studies
B.S. Prabhananda and M.M. Ugrankar (India) 481

Rapid Reports

Do helices in membranes prefer to form bundles or stay dispersed in the lipid phase?
J. Wang and A. Pullman (France) 493

A voltage-activated cation transport pathway associated with the sodium pump
J.A. Halperin and F. Cornelius (U.S.A., Denmark) 497

Regulatory volume decrease in small intestinal crypts is inhibited by K^+ and Cl^- channel blockers
J.A. O'Brien, R.J. Walters and F.V. Sepúlveda (U.K.) 501

Titles of related papers in other sections 505

Author Index 511